

PRODUCT BROCHURE

June 2018



JoJo Tanks



OUR LEAD TIME & AVAILABILITY

STOCK & NON-STOCK ICONS



This icon indicates that a product is carried in stock with a **7 calendar day** lead time, subject to delivery constraints.



This icon denotes a product that is non-stock i.e. made to order and has a **14 calendar day** lead time, subject to delivery constraints.

If neither of the above is listed next to a product, that product can only be ordered as a special order. Colour availability and lead time will then have to be confirmed with the relevant branch.

ABOUT US

South African owned and operated JoJo Tanks is a household name that has been recognised as the country's leading manufacturer of polyethylene plastic storage tanks for more than 40 years.

We only use the best quality raw material and our products are developed and manufactured by skilled technical personnel in accordance with specified protocol and controls that ensure our products meet their design specifications. We take immense pride in our products and we are so confident of the quality that we have extended our product warranty to 10 years effective 1st of September 2017 - a first for the industry.

JoJo Tanks was the first rotational moulding tank manufacturer and supplier in South Africa to have been awarded Agrément Board of South Africa's certification for both vertical, horizontal and septic products. This certification is the official endorsement of the technical merits of our products.

Our tanks are also available in a variety of shapes, sizes and colours to suit home colour schemes and space requirements.

COLOUR RANGE


WATER TANKS



*Actual colours may vary
**Available with 10% premium

Note: All JoJo Tanks products can be made in any colours in the spectrum subject to practical terms and conditions. In fact special or customized colours can be accommodated subject to suitably large order size and negotiated lead time.

CHEMICAL TANKS



MARBLE - FINISH**



Sandstone



URBAN SAVVY

The Slimline™ Range was specifically created for city living where a premium on space requires a snug fit into corners and down narrow walkways.

THE JOJO SLIMLINE™ RANGE WHICH INCLUDES A 750L, 1000L & 2500L IS AVAILABLE IN THE FOLLOWING OPTIONS:

01 | Standard Tanks

Standard Tank, supplied with the standard inlet/overflow and outlet. The **Standard Tank** is ideal to use in addition to the **Rainwater & Pump Ready Tanks** to increase storage capacity or alternatively, as a **storage tank** during water shedding.

02 | Rainwater Harvesting Tanks

Includes an additional fitting for a tap, a brass tap and a stainless steel mesh fitted beneath the lid to keep out smaller debris and insects.

03 | Pump Ready Tanks - (Ideal for Municipal back up)

Pre-fitted with a float valve, accessory adaptor and additional 40mm female outlets. For a complete package, combine with a **Booster Pump** and **Pump to Tank Connector Kit** (available separately).

With an application for every scenario, the Slimline™ Range is the perfect solution and the first step to becoming water smart. For more information visit www.jojo tanks.co.za

01



750L Slimline™ Standard Tank in Wintergrass

02



750L Slimline™ Rainwater Tank in Wintergrass

03



750L Slimline™ Pump Ready Tank in Wintergrass

2500L MULTISLIM™ TANK

YOU'VE BEEN INTRODUCED TO OUR 750L AND 1000L SLIMLINE™ TANKS, NOW MEET THE 2500L MULTISLIM™.

The MultiSlim's contemporary design is the perfect option for urban consumers, with its distinctly modern appearance and wide range of colours to match the style of your home.

The MultiSlim™ is the ideal solution for increased water storage capacity whilst still saving valuable space. Available as a **Standard, Rainwater** and a **Pump Ready Tank**.



Note: Fittings / Accessories differ for the three formats of the MultiSlim tank. For detailed fittings on each please refer to our website at www.jojo tanks.co.za

DIMENSIONS

LENGTH	HEIGHT	WIDTH	LIDS
2 500mm	1 960mm	760mm	2 x 450mm Screw-on Lids

JoJo Tanks


OUR DIY PUMP RANGE

NEW ADVANCED
TECHNOLOGY



S 01 PUMP & TANK CONNECTOR KIT

All-in-one water pressure booster unit. A pump and tank connector kit that fits seamlessly onto your water tank to provide you with a pressured water feed.



PUMP & TANK CONNECTOR KIT INCLUDES:

- | | |
|--|---------------------------------|
| A 40/25mm Reducer | F Pump |
| B 25mm Barrel Nipple | G Pressure Control Valve |
| C 2 x 25mm Ball Valves | H 20mm Accessory Adaptor |
| D 2 x 25mm Polyprop Male Couplers | I 25/20mm Reducing Bush |
| E Flexible Hose Assembly
Hose + 2 x Female Polyprop Couplers | |

SEAMLESSLY CONNECT THE UNIT TO A VARIETY OF JOJO TANKS




All connections and fittings from tank to pump should not be less than 25mm
Unit intended for clean water usage only



Tank Excluded
Tank to be bought separately

S 02 PUMP TO TANK CONNECTOR KIT

An all-inclusive kit allowing seamless connection from tank to pump.



PUMP TO TANK CONNECTOR KIT INCLUDES:

- | | |
|--|--|
| A 40/25mm Reducer | E Flexible Hose Assembly
Hose + 2 x Female Polyprop Couplers |
| B 25mm Barrel Nipple | F 20mm Accessory Adaptor |
| C 2 x 25mm Ball Valves | G 25/20mm Reducing Bush |
| D 2 x 25mm Polyprop Male Couplers | |

S 03 BOOSTER PUMP

Water pressure Booster Pump designed for boosting clean household water. It provides strong and reliable water pressure while using minimal energy.

CLASS LEADING PERFORMANCE & DESIGN

- 4 Bar Pressure
- 40L/Min Flow
- 0.37kW
- Brass Impeller/Liner
- Stainless Shaft
- Dry running protection





VERTICAL WATER TANKS

ALL VERTICAL TANKS ARE AVAILABLE IN WATER, CHEMICAL MEDIUM AND CHEMICAL HEAVY

Try our **Pump Ready Tanks**, pre-fitted with all required accessories/fittings to guarantee easy connection from tank to pump. Available in **750L Slimline™**, **1000L Slimline™**, **2500L MultiSlim**, & **2500L Vertical Tanks**.

Tested and approved fit-for purpose for use as specified

**CERTIFICATE
2009/359 & 2011/385**



Standard colours for vertical water tanks



Standard colour for the Slimline range



TANK	DIAMETER	HEIGHT	LID	INLET	OVERFLOW	OUTLET
260L	620mm	925mm	480mm Clip-on	40mm Female Fitting	No Overflow	40mm Water Fitting S
500L	840mm	1 080mm	480mm Clip-on	40mm Female Fitting	40mm Female Fitting	40mm Water Fitting S
500L Backwash Tank	840mm	1 080mm	480mm Clip-on	40mm Female Fitting	40mm Female Fitting	40mm Water Fitting complete with 25mm Ball Valve & 20mm Accessory Adaptor Assembly. 2nd Outlet 20mm Fitting with a Tommy Tap & Tap Connector NS
750L Slimline™ Standard	760mm	1 850mm	480mm Clip-on	40mm Female Fitting	40mm Female Fitting	40mm Water Fitting S
750L Slimline™ Rainwater	760mm	1 850mm	480mm Clip-on & Sieve	40mm Female Fitting	40mm Female Fitting	40mm Water Fitting 2nd Outlet 20mm Water Fitting & 20mm Brass Tap S
750L Slimline™ Pump Ready	760mm	1 850mm	480mm Clip-on	20mm 2-way Fitting, Accessory Adaptor & 20mm Float Valve	40mm Female Fitting	3 x 40mm Water Fitting 2 x 40mm Thumbplugs S
1000L	1 110mm	1 300mm	480mm Clip-on	40mm Female Fitting	40mm Female Fitting	40mm Water Fitting S
1000L Slimline™ Standard	840mm	2 060mm	480mm Clip-on	40mm Female Fitting	40mm Female Fitting	40mm Water Fitting S



VERTICAL WATER TANKS

Standard colours for vertical water tanks



The JoJo Tanks extended warranty period became effective on 1st September 2017. All JoJo tanks purchased from that date are guaranteed for a period of 10 years in terms of material, workmanship and UV protection.

TANK	DIAMETER	HEIGHT	LID	INLET	OVERFLOW	OUTLET	
1000L Slimline™ Rainwater	840mm	2 060mm	480mm Clip-on & Sieve	40mm Female Fitting	40mm Female Fitting	40mm Water Fitting 2nd Outlet 20mm Water Fitting & 20 mm Brass Tap	S
1000L Slimline™ Pump Ready	840mm	2 060mm	480mm Clip-on	20mm 2-way Fitting, Accessory Adaptor & 20mm Float Valve	40mm Female Fitting	3 x 40mm Water Fitting 2 x 40mm Thumbplugs	S
1500L	1 410mm	1 200mm	480mm Clip-on	40mm Female Fitting	40mm Female Fitting	40mm Water Fitting	S
2200L	1 420mm	1 700mm	480mm Clip-on	40mm Female Fitting	No Overflow	40mm Water Fitting	S
2500L	1 420mm	1 860mm	480mm Clip-on	40mm Female Fitting	40mm Female Fitting	40mm Water Fitting	S
2500L Pump Ready Tank	1 420mm	1 860mm	480mm Clip-on	20mm 2-way Fitting, Accessory Adaptor & 20mm Float Valve	40mm Female Fitting	40mm Water Fitting	NS
4500L	1 820mm	2 060mm	480mm Clip-on	40mm Female Fitting	No Overflow	40mm Water Fitting	S
5000L	1 820mm	2 255mm	480mm Clip-on	40mm Female Fitting	40mm Female Fitting	40mm Water Fitting	S
5500L	1 900mm	2 240mm	480mm Clip-on	40mm Female Fitting	40mm Female Fitting	40mm Water Fitting	
10 000L	2 200mm	3 150mm	480mm Clip-on	40mm Female Fitting	40mm Female Fitting	40mm Water Fitting	S
15 000L * **	2 600mm	3 260mm	480mm Clip-on	40mm Female Fitting	40mm Female Fitting	50mm Tank Connector	NS
20 000L * **	2 600mm	4 270mm	450mm Screw-on	40mm Female Fitting	40mm Female Fitting	50mm Tank Connector	NS

* Transport costs apply

** 50% Deposit required to confirm order

Note: The 5500L Vertical Water tank is only manufactured to order, at an extended lead time. Lead time to be confirmed with the relevant branch.



VERTICAL TANKS CHEMICAL MEDIUM / HEAVY

TANK	DIAMETER	HEIGHT	LID	OUTLET	
260L	620mm	925mm	450mm Screw Lid	50mm Tank Connector	
500L	840mm	1 080mm	450mm Screw Lid	50mm Tank Connector	
1000L	1 110mm	1 300mm	450mm Screw Lid	50mm Tank Connector	
1500L	1 410mm	1 200mm	450mm Screw Lid	50mm Tank Connector	
2200L	1 420mm	1 700mm	450mm Screw Lid	50mm Tank Connector	
2500L	1 420mm	1 860mm	450mm Screw Lid	50mm Tank Connector	
4500L	1 820mm	2 060mm	450mm Screw Lid	50mm Tank Connector	
5000L	1 820mm	2 255mm	450mm Screw Lid	50mm Tank Connector	
5500L	1 900mm	2 240mm	450mm Screw Lid	50mm Tank Connector	
10 000L	2 200mm	3 150mm	450mm Screw Lid	50mm Tank Connector	
15 000 * ** ***	2 600mm	3 260mm	450mm Screw Lid	50mm Tank Connector	
20 000 * ** ***	2 600mm	4 270mm	450mm Screw Lid	50mm Tank Connector	

Chemical tank colours:

Standard Colour

Stock items are subject to a 7 day calendar lead time



Alternative Colours

The following colours are also available at a 14 day calendar lead time



Note: The above colours are “see through” allowing contents to be viewed.

Note: Vertical Medium and Heavy duty strength variants are available as stock items in natural white, whilst other tints are available as non-stock items.

* Transport costs apply

** 50% Deposit required to confirm order

JoJo Tanks



LOW PROFILE WATER TANKS

Note: All low profile tanks are non-stock items and are subject to a 14 calendar day lead time in the following colours:



TANK	DIAMETER	HEIGHT	LID	INLET	OVERFLOW	OUTLET
5000L	2 230mm	1 560mm	480mm Clip-on Lid	40mm Female Fitting	40mm Female Fitting	40mm Water Fitting NS
10 000L *	2 420mm	2 550mm	480mm Clip on Lid	40mm Female Fitting	40mm Female Fitting	40mm Water Fitting NS



LOW PROFILE TANKS CHEMICAL MEDIUM / HEAVY

Standard colours for chemical low profile tanks



TANK	DIAMETER	HEIGHT	LID	OUTLET
5000L	2 230mm	1 560mm	450mm Screw Lid	50mm Tank Connector NS
10 000L *	2 420mm	2 550mm	450mm Screw Lid	50mm Tank Connector NS



* Transport costs apply



JoJo Tanks uses a specialist roto-moulding manufacturing process that ensures quality, durability and the correct wall thickness. Temperature differences in the cooling process play an important role and this may result in a slight variance in tank size.

JoJo Tanks



HORIZONTAL TANKS

ALL HORIZONTAL TANKS ARE AVAILABLE IN WATER, CHEMICAL MEDIUM AND CHEMICAL HEAVY

Note: All horizontal tanks are available as non-stock items in the following colours and are subject to a 14 calendar day lead time

Chemical Tank Colours



Water Tank Colours



* If intended usage is for diesel/paraffin storage, ensure that the tank is fitted with a diesel seal-identified by its yellow nut.

Note: The 750L Horizontal tank is also available as a non-stock item in red

TANK	HEIGHT	LENGTH	WIDTH	LID	OUTLET		
240L	650mm	1 080mm	560mm	125mm Planter Lid	40mm Tank Connector		NS
500L	830mm	1 290mm	785mm	125mm Planter Lid	40mm Tank Connector		NS
600L	675mm	1 430mm	955mm	125mm Planter Lid	40mm Tank Connector		NS
750L	715mm	1 520mm	955mm	125mm Planter Lid	40mm Tank Connector		NS
900L	925mm	1 495mm	1 000mm	125mm Planter Lid	40mm Tank Connector		NS
1000L	1 030mm	1 645mm	990mm	125mm Planter Lid	40mm Tank Connector		NS
1500L	1 395mm	1 900mm	1 100mm	450mm Screw Lid	40mm Tank Connector		NS
2500L	1 210mm	2 180mm	1 540mm	450mm Screw Lid	50mm Tank Connector		NS
4500L	1 430mm	2 320mm	2 070mm	450mm Screw Lid	50mm Tank Connector		NS
5000L Crocodile	1 530mm	2 600mm	2 060mm	450mm Screw Lid	50mm Tank Connector		NS
5500L	1 505mm	2 545mm	2 090mm	450mm Screw Lid	50mm Tank Connector		NS



AGRICULTURAL PRODUCTS



S ■

SHEEP TROUGH

Float Valve included

160L



S ■

CATTLE TROUGH

Float Valve Included

250L & 500L



S ■

ANIMAL FEEDER

6L



NS ■

HAYSAVER

HEIGHT	LENGTH A
790mm	705mm



NS ■

WATER ON WHEELS

Wheelbarrow not included

100L



NS ■

WATER ON WHEELS

Wheelbarrow not included

70L



NS ■

WHEELBARROW LINER



NS ■ ■ ■

BUOY

LENGTH	DIAMETER
950mm	300mm

SILO STANDS NS

Stands are manufactured for Silo tanks

Available for sizes:

1 200L, 3 000L, 5 000L, 17 000L



SILO TANKS NS



200L



300L



LITRE	DIAMETER	HEIGHT	BOTTOM DIAMETER
200L	550mm	1 165mm	135mm
300L	670mm	1 175mm	130mm
1 200L	1 110mm	1 900mm	300mm
3 000L	1 560mm	2 260mm	290mm
5 000L	1 800mm	2 810mm	340mm
17 000L* **	2 600mm	4 430mm	340mm

MIXMASTER NS

Closed top conical bottom tank Steel Stand with red-oxide paint finish to prevent rust

LITRE	TANK DIAMETER	TANK HEIGHT	BOTTOM DIAMETER	TOTAL HEIGHT
5 000L	2 200mm	1 840mm	170mm	Tank & Stand 2 220mm



GRAIN SILO NS

The Grain Silo consists of:

- Silo Tank - Chemical Medium SG 1.4
- Silo Stand
- Ladder with swing arm and back rest
- 160mm Sluice and Accessories
- Silo Bucket - holds ± 20kg mealies

LITRE	DIAMETER	HEIGHT	MANHOLE	SLUICE DIAMETER	BOTTOM DIAMETER
5 000L	1 800mm	2 810mm	450mm	160mm	340mm
COMPLETE UNIT HEIGHT Bottom to top of swing arm				5 000mm	
17 000L* **	2 600mm	4 420mm	450mm	160mm	340mm
COMPLETE UNIT HEIGHT Bottom to top of swing arm				6 250mm	



* Transport costs apply

** 50% deposit required to confirm order



AGRICULTURAL PRODUCTS



Nose Cone

RAFT FLOATS*

Nose Cone

DIAMETER 535mm
LENGTH A 1 110mm
LENGTH B 590mm



STORAGE DRUM

260L



Middle Cone

Middle Cone

DIAMETER 530mm
LENGTH 1 180mm



SCREW-ON-LID DRUM

50L, 90L & 210L



OWL HOUSE

LENGTH 545mm | **WIDTH** 455mm
HEIGHT 425mm | **INNER DIAMETER** 115mm
From base to top of gable
Of base mounting



CLIP-ON-LID DRUM

100L & 210L



OTHER PRODUCTS



20L BEVERAGE TANK

Available in the following colours

HEIGHT 380mm | **DIAMETER** 290mm



20L MINI TANK

Available in standard water tank colours

HEIGHT 350mm | **DIAMETER** 296mm



COMMUNAL WATER STATION*

5 000L & 10 000L

A Complete water station consists of:

- Water tank
- 1.5m high tank stand
- All metal pipes and fittings
- Quick coupler system
- 6 x taps

NS Available in standard water tank colours

VERTICAL TANK STANDS **NS**

Stands are manufactured for:

5 000L & 10 000L tanks

HEIGHT

1.5m | 3m | 4.5m | 6m | 9m

NOTE:

Painted with red-oxide
Self assemble kit



* Please note: Specific Installation instructions available on request.
Contact: 011 695 8300 / productinfo@jojotanks.co.za



SANITATION PRODUCTS



PIT PEDESTAL OMEGA**



PIT PEDESTAL VIP 200**

Seat not included



PIT PEDESTAL VIP 450**

Seat not included



CLIP-ON LID DRUM

Chemical Toilet Drum



TOILET HUT**



PIT TOILET & PEDESTAL**



CHEMICAL MOBILE TOILET**



CLIP-ON SEAT DRUM

Chemical Toilet Drum

* Transport costs apply

** A lead time of 14 days required



UNDERGROUND WATER TANKS



6000L UNDERGROUND TANK NS

Excluding Fittings

DIAMETER	HEIGHT	LENGTH
1 950mm	2 080mm	3 330mm

NB: Please specify when ordering an underground tank for water storage to ensure the food grade black inner liner is added during the manufacturing process.

JoJo manufactures its septic and conservancy tanks from recycled plastic, hence they are not suitable for the storage of water for potable purposes.



JoJo's range of underground water tanks is made in two layers, with an inner food grade liner. These tanks are available in the full range of sizes from 1250L to 6000L as per the range of conservancy tanks.

Like all other JoJo tanks, it is manufactured using the rotational moulding process to produce a one-piece, seamless, watertight tank. The structure design is sturdy enough to withstand the pressure of the soil (when it is empty).

Important:

There is a very specific and highly recommended installation procedure for the **JoJo Underground Tank**. For detailed information and the installation procedure document, visit our website at www.jojotanks.co.za.

* This drawing is for illustrated purposes only



SANITATION PRODUCTS



SEPTIC TANK S

- Polyethylene product
- Fill lid with concrete
- For underground use only
- Sewerage only
- No soap water or chemicals
- Overflows into French drain
- Not to be pumped out
- Follow operation and installation instructions carefully

PERSONS	TANK SIZE	DIAMETER	HEIGHT	LID	INLET	OUTLET
2 - 4	1 250L	1 550mm	1 190mm	290mm	110mm	50mm
2 - 6	1 500L	1 550mm	1 280mm	290mm	110mm	50mm
4 - 6	1 750L	1 550mm	1 390mm	290mm	110mm	50mm
4 - 7	2 000L	1 550mm	1 500mm	290mm	110mm	50mm
4 - 9	2 500L	1 550mm	1 710mm	290mm	110mm	50mm

6000L SEPTIC TANK S

Including Fittings

PERSONS	20 - 25
LENGTH	3 330mm
DIAMETER	1 950mm
HEIGHT	2 080mm

6000L CONSERVANCY TANK

Excluding Fittings



CONSERVANCY TANK S

- Polyethylene product
- Chemical resistant
- Fill lid with concrete
- For underground use only
- Can be pumped out
- Follow operation and installation instructions
- Safe storage for blackwater, greywater, and most chemicals



PERSONS	TANK SIZE	DIAMETER	HEIGHT	LID	INLET	OUTLET
2 - 4	1 250L	1 550mm	1 190mm	290mm	N/A	N/A
2 - 6	1 500L	1 550mm	1 280mm	290mm	N/A	N/A
4 - 6	1 750L	1 550mm	1 390mm	290mm	N/A	N/A
4 - 7	2 000L	1 550mm	1 500mm	290mm	N/A	N/A
4 - 9	2 500L	1 550mm	1 710mm	290mm	N/A	N/A



DOMESTIC PRODUCTS



S

LITRE
240L
HEIGHT
1 170mm
DIAMETER
630mm

INDUSTRIAL DUSTBIN



S

LITRE
240L
HEIGHT
1 080mm
WIDTH
580mm
LENGTH
715mm

DUSTBIN ON WHEELS



NS

LITRE
710L
DIAMETER
1 064mm
TANK HEIGHT
770mm

FISH BREEDING TANK



S

HEIGHT
1 030mm
DIAMETER
1 390mm
DOOR HEIGHT
875mm
DOOR WIDTH
495mm


EXTRA LARGE DOG KENNEL



NS

HEIGHT
325mm
DIAMETER
310mm

BUILDING BUCKET



DOG KENNELS

S

	LENGTH	WIDTH	HEIGHT	DOOR HEIGHT	DOOR WIDTH	ROOF WIDTH	ROOF LENGTH
SMALL	575mm	482mm	505mm	290mm	210mm	520mm	700mm
MEDIUM	860mm	710mm	785mm	480mm	360mm	760mm	1 000mm



RAINWATER HARVESTING ACCESSORIES



TANK GAUGE **S**

The tank gauge is a rainwater tank level indicator that can be sealed directly into the water tank



LEAF EATER **S**

The leaf eater directs leaves and debris away from the flow of water and improves tank water quality



WIDTH
150mm
HEIGHT
480mm

SUBMERSIBLE PUMP **NS**

The submersible pressure pumps with built-in integrated electronics, designed to automatically start and stop the pump. It features a built-in electronic pressure switch and flow sensor and offers dry-run protection and a built-in non return valve



REMOTE TANK ALERT **NS**

The electronic gauge in the JoJo tank alert kit accurately and reliably measures tank water levels and transmits the information to a receiver. The communication distance to the receiver is typically not greater than 200m and measurement resolution is down to 1cm

FIRST FLUSH DIVERTER **S**

Managing the first flush of water improves the quality of water by preventing the dirtiest water from entering the tank. The diverters are supplied in kit form with everything needed to complete installation





TANK CONNECTORS, WATER FITTINGS, LIDS & ACCESSORIES

- A** Male Tank Connector
15mm; 25mm; 40mm & 50mm
- B** Male/Female Tank Connector
40/25mm; 50/40mm
- C** Male/Female Tank Connector Long Series
50/40mm
- D** Male/Female Tank Connector with Elbow
50/40mm
- E** Male Tank Connector
75mm
- F** Female Water Fitting
15mm; 20mm 40mm
- G** Female Water Fitting
20mm & 40mm 2-way
- H** 450mm Tank Screen
- I** 125mm Planter Lid
- J** 125mm Lid & Elbow
- K** 480mm Tank Screen
- L** 250mm/450mm Screw Lid Complete
- M** 480mm Lid & E-Clips
- N** Male/Female Reducer
40/20mm; 50/40mm
- O** 40mm Thumb End Plug
- P** 40mm, 50mm, 75mm Tank Connector
For Diesel/Paraffin (Yellow Nut)
- Q** 125mm Planter Lid
For Diesel/Paraffin (Yellow Nut)



PLEASE READ THE JOJO TANKS 10 YEAR CONDITIONAL WARRANTY, IN CONJUNCTION WITH THE CONSUMER PROTECTION ACT.

For full details please go to www.jojotanks.co.za/ConsumerProtectionAct

We offer a warranty on the tanks in normal applications to full integrity or retention from the date of purchase for a period of 10 years. (Please note that warranties are non transferable) The above - mentioned warranty does not apply in the event of the following:

- Any damage sustained during handling, storage or erection of the tank or subsequent modification
- Reaction or soiling of the tanks from chemical agents not compatible with polyethylene (contact your nearest JoJo Branch for more detail)
- Damage, failure or leakage caused by a result of any broken, loose or defective connection to the tanks
- Iron / metal fittings on the tanks as connections
- Attachments, alterations of the structure or walls of the tanks including welding and use of adhesives etc
- Usage of tanks for purpose not intended to
- Repair work done not by JoJo personnel
- The lids and roof section of tanks are not intended to carry weight or human movement
- Liquid contents exceeding 40° C
- All vertical tanks intended for stationary use only
- Septic tanks to be used and installed as per installation instructions (see website)

This warranty is subject to the correct installation of the tank, which includes the following:

- No steel pipes /fittings (it is recommended to use flexible pipes between tank and fixed pipes)
- Not to use unsupported connections (Pipes, etc.) attached to the tank causing the tank to be under stress
- Correct use of connections (No steel / iron / connectors)
- No vibrating connections
- The provision of a level, smooth and robust base for the tank, in case of beam support not further than 5 centimetres apart
- No overhang of the tank wall over the base allowed
- The filling rate should not exceed the over flow rate
- The tanks are primarily intended for stationary use
- Liability in terms of this guarantee shall be limited to claims that arise from loss of integrity of the product. Liability for other losses and / or subsequent damages suffered is excluded
- All claims for replacement tanks or damages must be submitted during and up to the expiry date of the guarantee period. Proof of date of purchase is absolutely necessary (See website for failure form)

AS PRO RATA PAYMENT FOR PERIOD OF USE MAY BE EXPECTED IN CASE OF REPLACEMENT calculated on a formula that the buyer will be paying 12.5% of the replacement tank's value for each year of use. Example: Tank is used for 2 years – 25% (2 x 12,5%) payable for new tank by purchaser – 75% subsidized by JoJo:

- As we are converters, the warranty is on workmanship only. We have no control over the chemistry of the plastic, which we use in good faith
- JoJo does not accept responsibility for instruction or structural costs in case of repairs or replacements
- This is the exclusive warranty given by us and no other warranty or guarantee, expressed or implied shall be of any force and effect

QUALITY GUARANTEE



All JoJo tanks are made from the best quality virgin food grade materials, are UV Resistant, BPA free and carry an 10 year guarantee.

Our high quality polyethylene products are perfectly suited to the numerous requirements of the agricultural, industrial and commercial industries and we also offer a range of products that are perfect for domestic needs.

Our specialist manufacturing practices and expertise guarantee quality, innovation and customised solutions. Accessories for all tanks are supplied.



CONTACT US

NATIONAL SUPPORT
HEAD OFFICE
SHARED SERVICE CENTRE
CAMPERDOWN
EAST LONDON
GLENCOE
HOPETOWN
PRETORIA
UITENHAGE
WORCESTER
BULAWAYO

PHONE

+27 (0) 861JOJOSA
+27 (0) 13 262 7900
+27 (0) 11 695 8300
+27 (0) 31 785 2962
+27 (0) 43 745 0028
+27 (0) 34 393 2807
+27 (0) 53 203 8095
+27 (0) 12 802 1214/5
+27 (0) 41 922 4248
+27 (0) 23 347 6533
+263 9880 260

EMAIL

sales@jojotanks.co.za
productinfo@jojotanks.co.za
cam@jojotanks.co.za
ecsales@jojotanks.co.za
glenadmin@jojotanks.co.za
ncsales@jojotanks.co.za
ptasales@jojotanks.co.za
usales@jojotanks.co.za
worsales@jojotanks.co.za
bulawayo@jojotanks.co.za

 www.jojotanks.co.za

 [JoJoTanksSaveWater](https://www.facebook.com/JoJoTanksSaveWater)

 [@JoJo_Tanks](https://twitter.com/JoJo_Tanks)

JoJo Tanks